



ECO LED Batten Gen 3

The ECO LED Batten Gen 3 is a one box solution with Colour Select across the range and the new Lumen Select option is now available in the 4ft version. The quick release clips and removable connector, insect-proof sealed LED module makes it easy to install and maintain. With up to 110lm/W, the efficacy makes it an ideal replacement for traditional battens.



LUMEN^{SELECT} COLOUR^{SELECT}



CODE	SYSTEM POWER	EXIT LUMEN	LM/W	CCT	DIMENSIONS	WEIGHT	LINE CURRENT	SENSOR TYPE
ECOBAT202ECSG3	18W	1700lm	94lm/W	4000K	L603 x W74 x H74mm	0.80kg	0.07A	
		1900lm		5000K				
		1700lm		6500K				
ECOBAT404ECSLS	36W	3600lm	100lm/W	4000K	L1164 x W74 x H74mm	2kg	0.15A	
	18W	2180lm		4000K				
	18W	2300lm		5000K				
	18W	2190lm		6500K				
	25W	2700lm		4000K				
	25W	2960lm		5000K				
	25W	2770lm		6500K				
	30W	3200lm		4000K				
	30W	3600lm		5000K				
	30W	3300lm		6500K				
	36W	4100lm		5000K				
	36W	3700lm		6500K				
ECOBAT404ECSLSS	36W	3600lm	100lm/W	4000K	L1164 x W74 x H74mm	2kg	0.15A	Microwave
	18W	2180lm		4000K				
	18W	2300lm		5000K				
	18W	2190lm		6500K				
	25W	2700lm		4000K				
	25W	2960lm		5000K				
	25W	2770lm		6500K				
	30W	3200lm		4000K				
	30W	3600lm		5000K				
	30W	3300lm		6500K				
	30W	3300lm		6500K				
	30W	3300lm		6500K				


ECOBAT404ECSLSS	36W	4100lm		5000K				
	36W	3700lm		6500K				
ECOBAT505ECSLS	50W	6440lm	128lm/W	4000K	L1500 x W74 x H74mm	2kg	0.22A	
	30W	4042lm	134lm/W	4000K				
	30W	4149lm	138lm/W	5000K				
	30W	3962lm	132lm/W	6500K				
	35W	4974lm	142lm/W	4000K				
	35W	5159lm	147lm/W	5000K				
	35W	4877lm	139lm/W	6500K				
	45W	5788lm	128lm/W	4000K				
	45W	5996lm	133lm/W	5000K				
	45W	5607lm	124lm/W	6500K				
	50W	6769lm	135lm/W	5000K				
	50W	6737lm	134lm/W	6500K				
ECOBAT505ECSLSS	50W	6440lm	128lm/W	4000K	L1500 x W74 x H74mm	2kg	0.22A	Microwave
	30W	4042lm	134lm/W	4000K				
	30W	4149lm	138lm/W	5000K				
	30W	3962lm	132lm/W	6500K				
	35W	4974lm	142lm/W	4000K				
	35W	5159lm	147lm/W	5000K				
	35W	4877lm	139lm/W	6500K				
	45W	5788lm	128lm/W	4000K				
	45W	5996lm	133lm/W	5000K				
	45W	5607lm	124lm/W	6500K				
	50W	6769lm	135lm/W	5000K				
	50W	6737lm	134lm/W	6500K				

ACCESSORY CODE


DESCRIPTION

WG4	W/GUARD 1200MM C/W BRACKETS
WG2	W/GUARD 600MM C/W BRACKETS

Line Drawings



ECOBAT202ECSG3



ECOBAT404ECSLSS, ECOBAT404ECSLS

